1.69.508.113/1301



Signal lamp with integrated filament lamp, 5 mm, round bezel, 24 Volt, bezel red, Solder terminal



fields of application

- > Measurement-control-regulation
- > Electrical engineering
- > Mechanical and system engineering
- > Signalling systems
- > Model construction



description

Signal lamps with integrated filament lamp, mounting hole diameter 5 mm

technical data

> general

Bezel color red

Property of bezel / mushroom transparent

Bezel shape round illuminated Yes
Packaging unit 10 pcs.
Degree of protection, front side, IP40

according to DIN EN 60529

MOQ order 10 pcs.

RoHS compliant Yes

REACH compliant Yes

> mounting diameters

Mounting hole 5 mm

Mounting depth 18 mm

Installation height 1 mm

Collar dimension 5.8 mm

> mechanical data

Fixing Pushing into mounting hole

Terminal on the rear Solder terminal

Solderability Yes

direct links

> RAFI eCatalog

1.69.508.113/1301



> electrical data


Operating voltage of the luminous 24 V element, max.

1.69.508.113/1301



drawings

Mounting hole drawing



88276 Berg / Ravensburg Germany www.rafi-group.com, info.headquarters@rafi-group.com

RAFI GmbH & Co. KG

Ravensburger Str. 128-134