


MICON 5, spot illumination plunger 18 mm, mechanical stop limit, GH 9.55 mm, double corner illumination



fields of application

> Measurement-control-regulation

> Mechanical and system engineering

> Automotive

> Signalling systems

> Vehicle construction

> Handheld terminals

description


The wide selection of standard plungers in different shapes and colors guarantees a versatile range of applications for the MICON 5 tactile switch.

technical data


> general		direct links
illuminated	Yes	> RAFI eCatalog
Luminous elements	double corner illumination	
Packaging unit	100 pcs.	
net weight	1.3 g	
MOQ order	100 pcs.	
RoHS compliant	Yes	
REACH compliant	Yes	
> mounting diameters		
Outside dimension, length	8.7 mm	
Outside dimension, width	18 mm	
Outside dimension, height	18 mm	
Plunger length L	6.2 mm	
Support height A	3.35 mm	
Total height GH	9.55 mm	

## drawings

### Dimensioned drawing



### System drawing



Technical drawing of a three-channel PCB layout. The drawing shows three identical channels arranged horizontally. Key dimensions are indicated:

- Overall width: 22
- Channel width: 13.3
- Channel spacing: 6.65
- Channel height: 10
- Channel width (inner): 12
- Channel height (inner): 13.3