Certificate Number UL-US-L64839-217-60408102-3

Report Reference E64839-20180406

Date 1-Apr-2021

Issued to: RAFI GmbH & Co. KG

Ravensburger Str. 128-134 Berg

Germany 88276

This is to certify that representative samples of

NKCR2 - Auxiliary Devices - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision

Date: 2019-05-06, UL 60947-5-1, 3rd Ed., Issue Date:

2014-03-28


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.





Certificate Number UL-US-L64839-217-60408102-3

Report Reference E64839-20180406

Date 1-Apr-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Tilted Diamond+, 1.69.010.002/1000	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1300	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1400	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1500	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1600	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1000	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1300	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1400	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1500	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1600	Auxiliary Devices
Tilted Diamond+, 1.69.010.005/0000	Auxiliary Devices
Tilted Diamond IO Link, 1.69.010.101/1000	Auxiliary Devices
Tilted Diamond+, 9.69.010.002/1400	Auxiliary Devices





Certificate Number UL-CA-L64839-417-60408102-3

Report Reference E64839-20180406

Date 1-Apr-2021

Issued to: RAFI GmbH & Co. KG

Ravensburger Str. 128-134 Berg

Germany 88276

This is to certify that representative samples of

NKCR8 - Auxiliary Devices Certified for Canada -

Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 NO. 60947-1-13, 2nd Ed., Issue Date: 2013-07-

31, CSA C22.2 NO. 60947-5-1-14, 1st Ed., Issue Date:

2014-03-01


Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.





Certificate Number UL-CA-L64839-417-60408102-3

Report Reference E64839-20180406

Date 1-Apr-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Tilted Diamond+, 1.69.010.002/1000	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1300	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1400	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1500	Auxiliary Devices
Tilted Diamond+, 1.69.010.002/1600	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1000	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1300	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1400	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1500	Auxiliary Devices
Tilted Diamond+ M12, 1.69.010.003/1600	Auxiliary Devices
Tilted Diamond+, 1.69.010.005/0000	Auxiliary Devices
Tilted Diamond IO Link, 1.69.010.101/1000	Auxiliary Devices
Tilted Diamond+, 9.69.010.002/1400	Auxiliary Devices

