

Certificate of Compliance

Certificate: 1778347 Master Contract: 169720

Project: 80163660 **Date Issued:** 04/06/2023

Issued to: RAFI GmbH & Co. KG

Ravensburger Straße 128-134 Berg, Baden-Württemberg 88276

Germany

Attention: Karsten Hoffmann

The products listed below are eligible to bear the CSA Mark shown



Issued by:

Alessandro Raspatelli Alessandro Raspatelli

PRODUCTS

C321103 INDUSTRIAL CONTROL EQUIPMENT - Motor Controllers - Auxiliary Devices

Push-button switches, open type, for flush mounting, with 1 contact each, NO or NC.

Models	Current (A)	Voltage (VAC)
Type 1.20119	10/5	250/400

Notes:

- 1. The push-button switch Type 1.15108 may be stacked together up to three units.
- 2. The push-button switches may be provided with different types of operating means.
- 3. These devices are Certified as components for use only in other Certified equipment, where the acceptability of the combination is to be determined for CSA International.

Push-button switches, open type, for flush mounting, with impulsive or push-on-push-off switch mechanism.

Models	Contact Rating	Current (A)	Voltage (VAC)
--------	----------------	-------------	---------------



 Certificate: 1778347
 Master Contract: 169720

 Project: 80163660
 Date Issued: 04/06/2023

Type 1.15108	B300	4	250
Type 9.15.108	B300	4	250

Notes:

- 1. The push-button switch Type 1.15108/9.15.108 may be stacked together up to three units.
- 2. The push-button switches may be provided with different types of operating means.
- 3. These devices are Certified as components for use only in other Certified equipment, where the acceptability of the combination is to be determined for CSA International.
- 4. The push-buttons Type 9.15.108 are technical identical to 1.15.108. The difference are customer specific packaging or customer specific colours of the caps

Push-button switches, open type, for flush mounting, with pilot lights.

Models	Power (W max)	Voltage (V)
Type 1.15108	1.2	6-42
Type 9.15.108	1.2	6-42

Notes:

- 1. The push-button switch Type 1.15108/9.15.108 may be stacked together up to three units.
- 2. The push-button switches may be provided with different types of operating means.
- 3. These devices are Certified as components for use only in other Certified equipment, where the acceptability of the combination is to be determined for CSA International.
- 4. The push-buttons Type 9.15.108 are technical identical to 1.15.108. The difference are customer specific packaging or customer specific colours of the caps

Pilot lights, open type, for flush mounting, miniature bayonet, base BA9s.

Models	Power (W max)	Voltage (V)
Type 1.71209	1.2	250

Notes:

- 1. The push-button switch Type 1.15108 may be stacked together up to three units.
- 2. The push-button switches may be provided with different types of operating means.
- 3. These devices are Certified as components for use only in other Certified equipment, where the acceptability of the combination is to be determined for CSA International.

Pilot lights, open type, for flush mounting, miniature bayonet, base BA9s, with miniature type lamps.



Certificate: 1778347 Master Contract: 169720

Project: 80163660 **Date Issued**: 04/06/2023

Models	Power (W max)	Voltage (V)
Type 1.65111	1.2	6-42

Notes:

- 1. The push-button switch Type 1.15108 may be stacked together up to three units.
- 2. The push-button switches may be provided with different types of operating means.
- 3. These devices are Certified as components for use only in other Certified equipment, where the acceptability of the combination is to be determined for CSA International.



Certificate: 1778347 Master Contract: 169720

Project: 80163660 **Date Issued**: 04/06/2023

APPLICABLE REQUIREMENTS

CSA C22.2 NO. 14-18 - Industrial control equipment



 Certificate: 1778347
 Master Contract: 169720

 Project: 80163660
 Date Issued: 04/06/2023

Notes:

Products certified under Class C321103 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). www.scc.ca



TM



Supplement to Certificate of Compliance

Certificate: 1778347 Master Contract: 169720

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80163660	April 06, 2023	Update to report 1778347 to resolve FIR 169722-20230314, add model 9.15.108 indentical to 1.15.108, solely customer specific colors of the caps to the requirements of CSA C22.2 No. 14-18.
70126801	September 26, 2017	Update to report 1778347 to change dimensional values.
70105921	November 10, 2016	Update to Report 1778347 to conduct change of plastic material and addition of optional gasket.
70024934	March 31, 2015	Covers the change of the company name FRISETTA Polymer GmbH & Co. KG to Nilit Plastics Europe GmbH & Co. KG and the new nomenclature of Frianyl A63 V0GV25 changed to Frianyl A3 GF25 V0. Also the Voltage of the Type 1.15108 Push-button switch, with impulsive or push-on-push-off switch mechanism, was reduced from 300Vac to 250Vac. Standard update from CSA C22.2 No. 14-05 to 14-13 without additional test considered necessary due to no changes on the relevant clauses.
2499909	February 29, 2012	Project to revise the existing CSA Certification documentation of Certificate
2227644	December 30, 2009	Covers report updates.
1848127	January 22, 2007	Alternate construction of cat. no. 1.20119 pushbutton and report updates.
1778347	September 19, 2006	To cover the use of alternate plastic for pilot light base - pushbutton switches.
LR 35799-5	December 18, 1990	KEMA Job No 90.7456