Certificate of Compliance

Certificate Number:

UL-US-L214155-22-42807002-3

Report Reference:

E214155-20070824

Issue Date:

2024-05-28

Issued to:

RAFI GmbH & Co. KG
Ravensburger Str. 128-134 Berg 88276
Germany

This certificate confirms that representative samples of:
NISD2 - Emergency Stop Devices - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 60947-5-5, 1st Ed., Issue Date: 2017-08-11, Revision Date: 2019-09-13

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214155-22-42807002-3
Report reference E214155-20070824
Date 2024-05-28

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
1.12.146.454/x000	Emergency Stop Devices
1.20 126.401/x000	Contact Blocks with soldering pins
1.20 126.403/x000	Contact Blocks with soldering pins
1.20 126.404/x000	Contact Blocks with soldering pins
1.20 126.501/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20 126.503/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20 126.504/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20 126.601/x000	Contact Blocks with soldering pins
1.20 126.603/x000	Contact Blocks with soldering pins
1.20 126.604/x000	Contact Blocks with soldering pins
1.20 126.701/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20 126.703/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20 126.704/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20.126.414/x000	Contact Blocks with soldering pins
1.20.126.514/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
1.20.146.401/x000	Contact Blocks with soldering pins
1.20.146.403/x000	Contact Blocks with soldering pins
1.20.146.404/x000	Contact Blocks with soldering pins
1.20.146.434/x000	Emergency Stop Devices
1.20.273.101/2200	Emergency stop push buttons
1.30.253.001/0300	Emergency stop push buttons
1.30.253.001/1000	Emergency stop push buttons
1.30.253.101/0300	Emergency stop push buttons
1.30.253.101/1000	Emergency stop push buttons
1.30.253.501/0300	Emergency stop push buttons
1.30.253.502/0300	Emergency stop push buttons
1.30.253.601/0300	Emergency stop push buttons
1.30.253.602/0300	Emergency stop push buttons
1.30.273.001/2200	Emergency stop push buttons
1.30.273.001/2300	Emergency stop push buttons

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214155-22-42807002-3
Report reference E214155-20070824
Date 2024-05-28

1.30.273.011/2200	Emergency stop push buttons
1.30.273.011/2300	Emergency stop push buttons
1.30.273.101/2300	Emergency stop push buttons
1.30.273.301/2200	Emergency stop push buttons
1.30.273.311/2300	Emergency stop push buttons
1.30.273.312/2200	Emergency stop push buttons
1.30.273.361/2300	Emergency stop push buttons
1.30.273.501/0300	Emergency stop push buttons
1.30.273.502/0300	Emergency stop push buttons
1.30.273.511/0300	Emergency stop push buttons
1.30.273.512/0300	Emergency stop push buttons
1.30.273.601/0300	Emergency stop push buttons
1.30.273.602/0300	Emergency stop push buttons
1.30.283.101/0300	Emergency stop push buttons, Models RAFIX 22 FSR:
1.30.283.111/0300	Emergency stop push buttons
1.30.283.601/0300	Emergency stop push buttons, Models RAFIX 22 FSR:
1.30.283.611/0300	Emergency stop push buttons, Models RAFIX 22 FSR:
1.30.283.xx1/x300	Emergency stop push buttons
1.30.283.xx1/xx00	Emergency stop push buttons
9.00.002.270/0000 - Assembled PCB + Contact Block 1.20 126.404/x000 or 9.20 126.404/x000	Emergency stop push buttons
9.20 126.414/x000	Contact Blocks with soldering pins
9.20 126.501/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
9.20 126.504/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
9.20 126.514/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
9.20 126.601/x000	Contact Blocks with soldering pins
9.20 126.603/x000	Contact Blocks with soldering pins
9.20 126.604/x000	Contact Blocks with soldering pins
9.20 126.701/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
9.20 126.703/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
9.20 126.704/x000	Contact Blocks with quick connect terminals 2,8 x 0,8mm
9.20.126.401/x000	Contact Blocks with soldering pins
9.20.126.403/x000	Contact Blocks with soldering pins
9.20.126.404/x000	Contact Blocks with soldering pins

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214155-22-42807002-3
Report reference E214155-20070824
Date 2024-05-28

9.20.146.401/x000	Contact Blocks with soldering pins
9.20.146.403/x000	Contact Blocks with soldering pins
9.20.146.404/x000	Contact Blocks with soldering pins
9.20.146.434/x000	Emergency Stop Devices
9.20.146.454/x000	Emergency Stop Devices
9.30.253.001/0300	Emergency stop push buttons
9.30.253.004/0300	Emergency stop push buttons
9.30.253.009/0300	Emergency stop push buttons
9.30.253.011/0300	Emergency stop push buttons
9.30.253.012/0000	Emergency stop push buttons
9.30.253.017/0000	Emergency stop push buttons
9.30.253.021/0000	Emergency stop push buttons
9.30.253.024/0000	Emergency stop push buttons
9.30.253.026/0000	Emergency stop push buttons
9.30.253.029/0300	Emergency stop push buttons
9.30.253.030/0300	Emergency stop push buttons
9.30.253.031/0300	Emergency stop push buttons
9.30.253.032/0300	Emergency stop push buttons
9.30.273.001/2300	Emergency stop push buttons
9.30.273.002/0300	Emergency stop push buttons
9.30.273.004/2300	Emergency stop push buttons
9.30.273.005/0300	Emergency stop push buttons
9.30.273.006/0300	Emergency stop push buttons
9.30.273.010/0000	Emergency stop push buttons
9.30.273.011/0000	Emergency stop push buttons
9.30.273.012/0000	Emergency stop push buttons
9.30.273.013/2300	Emergency stop push buttons
9.30.273.014/0300	Emergency stop push buttons
9.30.273.015/0300	Emergency stop push buttons
9.30.273.016/0300	Emergency stop push buttons
9.30.273.017/0300	Emergency stop push buttons
9.30.273.018/0300	Emergency stop push buttons
9.30.273.020/0000 - Assembled Emergency stop push button 1.30.273.511/0300 + Contact Block 1.20 126.404/x000 or 9.20 126.404/x000 + PCB	Emergency stop push buttons
9.30.273.020/0300	Emergency stop push buttons
9.30.273.021/0300	Emergency stop push buttons
9.30.273.022/0300	Emergency stop push buttons
9.30.273.024/0300	Emergency stop push buttons
9.30.273.029/0000	Emergency stop push buttons
9.30.273.031/2300	Emergency stop push buttons
9.30.273.032/2300	Emergency stop push buttons
9.30.273.033/0300	Emergency stop push buttons

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214155-22-42807002-3
Report reference E214155-20070824
Date 2024-05-28

9.30.273.034/0300	Emergency stop push buttons
9.30.273.035/0300	Emergency stop push buttons
9.30.273.036/0300	Emergency stop push buttons
9.30.273.037/0300	Emergency stop push buttons
9.30.273.039/0000	Emergency stop push buttons
9.30.273.040/0000	Emergency stop push buttons
9.30.273.041/2300	Emergency stop push buttons

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:

UL-CA-L214155-42-42807002-3

Report Reference:

E214155-20070824

Issue Date:

2024-05-28

Issued to:

RAFI GmbH & Co. KG
Ravensburger Str. 128-134 Berg 88276
Germany

This certificate confirms that representative samples of:

NISD8 - Emergency Stop Devices Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

IEC 60947-5-5, Edition 1, AMD 2, Issue Date 1997-11-26, Revision Date 2016-02-29

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214155-42-42807002-3
Report reference E214155-20070824
Date 2024-05-28

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
1.12.146.454/x000	Emergency Stop Devices
1.20.146.401/x000	Contact Blocks with soldering pins
1.20.146.403/x000	Contact Blocks with soldering pins
1.20.146.404/x000	Contact Blocks with soldering pins
1.20.146.434/x000	Emergency Stop Devices
1.20.273.101/2200	Emergency stop push buttons
1.30.253.001/0300	Emergency stop push buttons
1.30.253.001/1000	Emergency stop push buttons
1.30.253.101/0300	Emergency stop push buttons
1.30.253.101/1000	Emergency stop push buttons
1.30.253.501/0300	Emergency stop push buttons
1.30.253.502/0300	Emergency stop push buttons
1.30.253.601/0300	Emergency stop push buttons
1.30.253.602/0300	Emergency stop push buttons
1.30.273.001/2200	Emergency stop push buttons
1.30.273.001/2300	Emergency stop push buttons
1.30.273.011/2200	Emergency stop push buttons
1.30.273.011/2300	Emergency stop push buttons
1.30.273.101/2300	Emergency stop push buttons
1.30.273.301/2200	Emergency stop push buttons
1.30.273.311/2300	Emergency stop push buttons
1.30.273.312/2200	Emergency stop push buttons
1.30.273.361/2300	Emergency stop push buttons
1.30.273.501/0300	Emergency stop push buttons
1.30.273.502/0300	Emergency stop push buttons
1.30.273.511/0300	Emergency stop push buttons
1.30.273.512/0300	Emergency stop push buttons
1.30.273.601/0300	Emergency stop push buttons
1.30.273.602/0300	Emergency stop push buttons
1.30.283.101/0300	Emergency stop push buttons, Models RAFIX 22 FSR:
1.30.283.111/0300	Emergency stop push buttons
1.30.283.601/0300	Emergency stop push buttons, Models RAFIX 22 FSR:
1.30.283.611/0300	Emergency stop push buttons, Models RAFIX 22 FSR:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.
Form-ULID-013925-CoCa – ver 1.0

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214155-42-42807002-3
Report reference E214155-20070824
Date 2024-05-28

1.30.283.xx1/x300	Emergency stop push buttons
1.30.283.xx1/xx00	Emergency stop push buttons
9.00.002.270/0000 - Assembled PCB + Contact Block 1.20 126.404/x000 or 9.20 126.404/x000	Emergency stop push buttons
9.20.126.401/x000	Contact Blocks with soldering pins
9.20.126.403/x000	Contact Blocks with soldering pins
9.20.146.401/x000	Contact Blocks with soldering pins
9.20.146.403/x000	Contact Blocks with soldering pins
9.20.146.404/x000	Contact Blocks with soldering pins
9.20.146.434/x000	Emergency Stop Devices
9.20.146.454/x000	Emergency Stop Devices
9.30.253.001/0300	Emergency stop push buttons
9.30.253.004/0300	Emergency stop push buttons
9.30.253.009/0300	Emergency stop push buttons
9.30.253.011/0300	Emergency stop push buttons
9.30.253.012/0000	Emergency stop push buttons
9.30.253.017/0000	Emergency stop push buttons
9.30.253.021/0000	Emergency stop push buttons
9.30.253.024/0000	Emergency stop push buttons
9.30.253.026/0000	Emergency stop push buttons
9.30.253.029/0300	Emergency stop push buttons
9.30.253.030/0300	Emergency stop push buttons
9.30.253.031/0300	Emergency stop push buttons
9.30.253.032/0300	Emergency stop push buttons
9.30.273.001/2300	Emergency stop push buttons
9.30.273.002/0300	Emergency stop push buttons
9.30.273.004/2300	Emergency stop push buttons
9.30.273.005/0300	Emergency stop push buttons
9.30.273.006/0300	Emergency stop push buttons
9.30.273.010/0000	Emergency stop push buttons
9.30.273.011/0000	Emergency stop push buttons
9.30.273.012/0000	Emergency stop push buttons
9.30.273.013/2300	Emergency stop push buttons
9.30.273.014/0300	Emergency stop push buttons
9.30.273.015/0300	Emergency stop push buttons
9.30.273.016/0300	Emergency stop push buttons
9.30.273.017/0300	Emergency stop push buttons
9.30.273.018/0300	Emergency stop push buttons
9.30.273.020/0000 - Assembled Emergency stop push button 1.30.273.511/0300 + Contact Block 1.20 126.404/x000 or 9.20 126.404/x000 + PCB	Emergency stop push buttons
9.30.273.020/0300	Emergency stop push buttons

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214155-42-42807002-3
Report reference E214155-20070824
Date 2024-05-28

9.30.273.021/0300	Emergency stop push buttons
9.30.273.022/0300	Emergency stop push buttons
9.30.273.024/0300	Emergency stop push buttons
9.30.273.029/0000	Emergency stop push buttons
9.30.273.031/2300	Emergency stop push buttons
9.30.273.032/2300	Emergency stop push buttons
9.30.273.033/0300	Emergency stop push buttons
9.30.273.034/0300	Emergency stop push buttons
9.30.273.035/0300	Emergency stop push buttons
9.30.273.036/0300	Emergency stop push buttons
9.30.273.037/0300	Emergency stop push buttons
9.30.273.039/0000	Emergency stop push buttons
9.30.273.040/0000	Emergency stop push buttons
9.30.273.041/2300	Emergency stop push buttons

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2024 UL LLC. All rights reserved.